

CORRECTION

Open Access



# Correction: Lung ultrasound is non-inferior to bronchoscopy for confirmation of double-lumen endotracheal tube positioning: a randomized controlled noninferiority study

Sawita Kanavitoon<sup>1</sup>, Kasana Raksamani<sup>1\*</sup>, Michael P. Troy<sup>2</sup>, Aphichat Suphathamwit<sup>1</sup>, Punnarerk Thongcharoen<sup>3</sup>, Sirilak Suksompong<sup>1</sup> and Scott S. Oh<sup>2</sup>

**Correction:** *BMC Anesthesiol* 22, 168 (2022)  
<https://doi.org/10.1186/s12871-022-01707-4>.

Following publication of the original article [1], the authors reported an error to the Institutional Review Board (IRB) number found in both the Methods and Ethics approval and consent to participate sections. The incorrect IRB number specified in the published paper is “088/2017” and the correct IRB number should be “Si 226/2017”.

The original article [1] has been updated.

## References

1. Kanavitoon S, Raksamani K, Troy MP, et al. Lung ultrasound is non-inferior to bronchoscopy for confirmation of double-lumen endotracheal tube positioning: a randomized controlled noninferiority study. *BMC Anesthesiol*. 2022;22:168. <https://doi.org/10.1186/s12871-022-01707-4>.

## Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Published online: 23 January 2024

The online version of the original article can be found at <https://doi.org/10.1186/s12871-022-01707-4>.

\*Correspondence:

Kasana Raksamani  
kasana.rak@mahidol.edu

<sup>1</sup>Department of Anesthesiology, Faculty of Medicine Siriraj Hospital, Mahidol University, 2 Wanglang Road, Bangkoknoi, Bangkok 10700, Thailand

<sup>2</sup>Division of Pulmonary, Critical Care and Sleep Medicine, Department of Medicine, David Geffen School of Medicine at UCLA, Los Angeles, CA, USA

<sup>3</sup>Division of Cardiothoracic Surgery, Department of Surgery, Faculty of Medicine Siriraj Hospital, Mahidol University, Bangkok, Thailand



© The Author(s) 2024. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.